FURNISH AND DELIVER

1/2 TON (1) ONLY 4X4 CREW CAB PICKUP TRUCK WITH PIPE RACK

FOR THE DEPARTMENT OF WATER SUPPLY

COUNTY OF MAUI

F.O.B. DWS BASEYARD AT 614 PALAPALA DRIVE IN KAHULUI, MAUI

FORMAL BID IFB# DWSP 2020-29

INVITATION TO BIDDERS

IFB# DWSP 2020-29

Pursuant to Chapter 103-D, HRS, sealed offers shall be received up to and publicly opened at **10:00 am on**APRIL 15, 2020

by the Fiscal Division, Purchasing Branch, Department of Water Supply, 5th Floor, Kalana O Maui(County Building), 200 South High Street, Wailuku, Maui, 96793, for the:

1/2 TON (1) ONLY 4X4 CREW CAB PICKUP TRUCK 4 DOOR WITH PIPE RACK

and publicly opened and read in the Fiscal Officer's Office (5th Floor) of the Department of Water Supply located in the County Building at 200 South High Street in Wailuku, Maui, Hawaii.

Specifications and Proposals may be obtained at the Office of the Purchasing Agent, Fiscal Division, located on the 5th floor of the County Building. Office hours are 7:45 a.m. to 4:30 p.m., Monday thru Friday, or visit the State of Hawaii Procurement Notice under Goods and Service. Also:

www.mauicounty.gov, under Bids & Proposal/Good – All vehicle goods.

Bidders must be qualified in compliance with Section 103D of the Hawaii Revised Statutes.

Director of Finance
County of Maui

SPECIAL PROVISIONS

IFB# DWSP 2020-29

- 1. To Furnish and Deliver One (1) ½ Ton 4x4 Crew Cab 4 Door and Pipe Rack for the Department of Water Supply, County of Maui, shall be subject to the Minimum Specifications, Special Provisions, Proposals and General Conditions (Bid Documents) in this order of priority.
- 2. Bid prices shall include all costs, insurance, taxes (except Federal Excise Tax from which the County is exempt) and freight/delivery charges F.O.B. Base-yard of the Department of Water Supply at 614 Palapala Drive in Kahului, Maui.
- 3. Bidder must complete the appropriate proposals, enclosing current literature describing the vehicles and available options.
- 4. The Director reserves the right
 - a. to accept or reject any or all bids and to waive any minor or inadvertent discrepancy in the bid documents;
 - b. to withhold award of contract for a period of thirty (30) calendar days from the date of bid opening; and,
 - to increase or decrease the quantities anytime prior to award of contract and vendor agrees not to claim loss of profit from the changes.
- 5. No withdrawal of bid will be allowed after the bids are opened.
- 6. Bidder shall deposit his bid with the Purchasing Agent, Department of Water Supply, 5th floor of the Kalana O Maui (County Building) in Wailuku, Maui, Hawaii.
- 7. Bids must be in our hands by 10:00 o'clock a.m. on the date designated for the bid opening. Bids mailed and postmarked earlier than the date and time specified for bid opening but received later will be rejected.
- 8. Delivery date shall be computed from the Official Commencement Date specified in the "Notice to Proceed" issued by the Director.
- 9. Vehicles must be delivered fully fueled and operational, to include the securing of license plates and safety inspection stickers prior to delivery to the DWS Base-yard at 614 Palapala Drive, Kahului, Maui, Hawaii.
- 10. Award of contract will be based upon the TOTAL PURCHASE PRICE.

SPECIAL PROVISIONS

IFB# DWSP 2020-29

- 11. Bidder must meet the requirements of Section 437, Motor Vehicle Industry Licensing Act, Hawaii Revised Statutes. A space is provided in the proposal for the License Number issued by the State of Hawaii.
- 12. Bidder must maintain or be able to contract for factory authorized service facilities or facilities capable of meeting factory standards as determined by the Director on the island of Maui to service and repair the vehicles offered. A letter confirming this service arrangement shall be attached to the proposal.
- 13. As a prerequisite for entering into a contract Bidders shall submit a current Tax Clearance, Certificate, Certificate of Good Standing, and Certificate of Compliance by using the Hawaii Compliance Express, which allows businesses to register online through a simple wizard interface at:

http://vendors.ehawaii.gov/hce/splash/welcome.html

Bidders registered with Hawaii Compliance Express may submit a onepage printout from the Hawaii Compliance Express website.

- 14. Each bidder awarded a contract is required to submit tax clearance upon final payment.
- 15. <u>Liquidated Damages</u>. The seller recognizes and agrees that time is of the essence under this agreement and, due to the speculative character and difficulty of ascertaining damages to the Department of Water resulting from any delay beyond controversy and dispute, will agree that the seller shall pay to the Department of Water the sum of ONE HUNDRED AND NO/100 DOLLARS (\$100.00) as liquidated damages and not as a penalty for each day that furnishing and delivery of the material contemplated in this agreement remains uncompleted beyond the time set herein for completion; provided, however, that the remedy of liquidated damages shall be in addition to any other rights and remedies otherwise available to the Department of Water and not expressly waived herein.

SPECIAL PROVISIONS

IFB# DWSP 2020-29

- For Terms and Conditions for Goods and Service go to: <u>www.mauicounty.gov/department/Finance/purchasing</u>. Look for Purchasing Terms and Conditions, Goods and Services.
- 17. Any questions pertaining to solicitation shall be directed to Mr. Kenneth L. Bissen, Jr., Purchasing Specialist: Telephone number is 808-270-7684 or 808-270-7301.

Any questions pertaining to technical aspect of this solicitation shall be directed to Warren Sardinha: Telephone (808) 270-7540 or Fax (808) 270-7136.

Any acceptable modifications of clarifications shall be made by issuance of an addendum, shall be given by written notice to all parties. No addendum will be made 5 days prior to the bid opening.

18. SUBMISSION OF PROPOSAL

Each bid, intact and bound with the Bid Documents shall be enclosed in a sealed envelope and delivered to the Department of Water Supply, County of Maui, as indicated in the official advertisement at the address name in the advertisement. The outside of the envelope shall be plainly marked as follow:

YOUR COMPANY NAME AND ADDRESS IFB# 2020- 29
BID DOCUMENTS FOR SEALED BIDS TO FURNISH AND DELIVER ONE (1) ½ TON 4X4 CREW CAB 4 DOOR AND PIPE RACK, FOR THE DEPARTMENT OF WATER SUPPLY, COUNTY OF MAUI.

All bids must be identified with the bidder's name, address, and appropriate licenses. Faxed offers shall be rejected.

PROPOSAL

IFB# DWSP 2020-29

Director of Water Supply County of Maui Wailuku, Maui, Hawaii

Dear Sir:

Boar on.
The undersigned hereby proposes to Furnish and Deliver One (1) Only ½ Ton 4x4 Crew Cab 4 Door and Pipe Rack to the Department of Water Supply of the County of Maui, F.O.B. DWS Baseyard at 614 Palapala Drive in Kahului, Maui, for the amount set forth, all in strict compliance with the attached Special Provisions, Minimum Specifications, General Conditions, and the following Proposals:
½ TON (1) ONLY 4X4 CREW CAB PICKUP TRUCK 4 DOOR WITH PIPE RACK
YEAR:MAKE AND MODEL:
TOTAL PURCHASE PRICE \$
DELIVERY CAN BE MADE IN <u>180</u> OR LESS CALENDAR DAYS FROM "NOTICE TO PROCEED" ISSUED BY THE DIRECTOR OF WATER SUPPLY. SEE SPECIAL PROVISIONS, ITEM 15, FOR LIQUIDATED DAMAGES.
COMPANY NAME
DATE:
STATE OF HAWAII LICENSE NUMBER#

MODEL: New and undemonstrated, of the current year

production.

TYPE: ½ ton Crew Cab 4x4 pickup truck

4 full sized doors

WHEELBASE: 148 inches"

BOX LENGTH: Minimum of 75" in length

ENGINE: Minimum of 5.0V-8 Gasoline engine-Minimum of 395

Hp and 400 lb/ft torque with engine oil cooler

G.V.W.: 6,800-7100 # GVWR

ELECTRICAL SYSTEM: 12Volt,160 amp alternator. Battery 700 CCA Battery

INSTRUMENTS: All gauges. (No warning lights)

STEERING: Power. With front stabilizer bar

BRAKES: Power disc with Anti-lock brake system

SHOCK ABSORBERS: Heavy duty gas shock absorbers-Front & Rear

TRANSMISSION: 6 speed automatic transmission

TRANSFER CASE: Electronic Shift on the fly-Part time transfer case

GEAR RATIO: 3.73 locking differential.

TIRES & WHEELS: Five (5) only steel disc wheels, with LT245/7017E

bsw A/T On-Off road tread design spare tire and wheel to be mounted under the vehicle in carrier

Mounted under the vehicle in carrier.

REAR SUSPENSION: Rear axle axle and suspension to meet GVWR

BUMPER: Front bumper - Chrome

MINIMUM SPECIFICATIONS 1 of 3

TOW HITCH: Trailer tow package with combination hitch with 2"

chrome ball adapter plate, and pin and 7 pin electrical

connectors

SEAT: HD Vinyl 40/20/20 split bench front seat with Vinyl

Folding rear seat- Gray in color

.

FLOOR COVERING: Color-keyed vinyl and four (4) floor mats

ACCESSORIES: Mirrors, power operated exterior mirrors

AM/FM Radio with Bluetooth Factory installed air conditioning Delete if not needed reverse alarm

Reverse camera

Standard jack and tire wrench.

Cargo light

running boards full length both sides Fuel tank cap minimum 30 gallons

Floor covering black vinyl Power windows and door locks

2 keys

Cruse control

And all standard equipment Trailer brake controller

ACCESSORIES:

Note: All other standard items of equipment listed in the

manufacturer's brochure shall be included.

REAR BUMPER

CROME

EXTINGUISHERS: 2-1/2 lb. ABC dry chemical type, mounted in cab, and

not in a place to interfere with the safe operation of this vehicle or comfort of the driver and passengers.

Mounting bracket to be made out of steel.

SAFETY: Must meet all Federal, State, and County highway

safety requirements.

COLOR: Fleet White.

RUSTPROOFING: Ziebart or equal treatment throughout vehicle. This

includes but not limited to insides of doors, hood, engine compartment, fenders, frame and underside

chassis

MANUALS: One (1) copy of the shop service CD manual.

to include trouble-shooting and repair of all sections

of the vehicle, including the emission system. Manual must be delivered with the vehicle to fulfill

Contract.

WARRANTY: Manufacturer's standard warranty to be listed.

PIPE RACK: Rack shall bolted to the body with 6 ea. Galvanized steel


3/8 bolts. The entire angle iron that rest on the bed must

be sealed so that no moisture can get between mating surfaces of the rack and bed. Center and rear cross bars need to be removable. Rack will be no higher than 4 inches from top of truck cab to the bottom of truck cab. Metal shall be 11/2 by 2 inch box tubing 1/8 thick no exceptions. The entire will be made out of galvanized steel and painted black. Drawings of rack

provided.

See figure 1.

FIGURE1



Bidder shall complete and submit this questionnaire with their offer. FAILURE TO COMPLY WITH THIS REQUIREMENT WILL BE CAUSE FOR REJECTION OF A BID AS BEING NON-RESPONSIVE OR NON-RESPONSIBLE.

MINIMUM SPECIFICATIONS IFB# DWSP 2020-29 ONE (1) 4X4, 1/2 TON PICKUP TRUCK 4 DOOR AND PIPE RACK

Manufacturer's make and no.:	model
Year of Production:	
TYPE:	
WHEELBASE:	inches"
BOX LENGTH:	Minimum of 75" in length yes no
ENGINE:	liters
G.V.W. RATING:	GVWR Max.
ELECTRICAL SYSTEM:	Volt, amp alternator. Battery CCA Battery
INSTRUMENTS:	All gauges. (No warning lights) yes no
STEERING:	Power. With front stabilizer bar yes no
BRAKES:	Power disc with Anti-lock brake system yes no
SHOCK ABSORBERS:	Heavy duty gas shock absorbers-Front & Rear yes no
TRANSMISSION:	6 speed automatic transmission yes no
TRANSFER CASE:	Electronic Shift on the fly-Part time transfer case yes no
GEAR RATIO:	3.73 locking differential yes no

MINIMUM SPECIFICATIONS 1 of 4

Bidder shall complete and submit this questionnaire with their offer. FAILURE TO COMPLY WITH THIS REQUIREMENT WILL BE CAUSE FOR REJECTION OF A BID AS BEING NON-RESPONSIVE OR NON-RESPONSIBLE

MINIMUM SPECIFICATIONS IFB# DWSP 2020-29 ONE (1) 4X4, 1/2 TON PICKUP TRUCK 4 DOOR AND PIPE RACK

TIRES & WHEELS:	Five (5) only steel disc wheels, with LT245/7017E bsw A/T On-Off road tread design spare tire and wheel to be mounted under the vehicle in carrier Mounted under the vehicle in carrier. yes no
REAR SUSPENSION:	Rear axle axle and suspension to meet GVWR
BUMPER:	Front bumper – Chrome yes no
TOW HITCH:	Trailer tow package with combination hitch with 2" chrome ball adapter plate, and pin and 7 pin electrica connectors yes no
SEAT:	HD Vinyl 40/20/20 split bench front seat with Vinyl Folding rear seat- Gray in color yes no
FLOOR COVERING:	Color-keyed vinyl and four (4) floor mats yes no
ACCESSORIES:	Mirrors, power operated exterior mirrors AM/FM Radio with Bluetooth Factory installed air conditioning Delete if not needed reverse alarm Reverse camera Standard jack and tire wrench. Cargo light running boards full length both sides Fuel tank cap minimum 30 gallons Floor covering black vinyl Power windows and door locks 2 keys Cruse control And all standard equipment Trailer brake controller
MINIMUM SPECIFICATIO	yes no to all accessories

Bidder shall complete and submit this questionnaire with their offer. <u>FAILURE TO COMPLY WITH THIS REQUIREMENT WILL BE CAUSE FOR REJECTION OF A BID AS BEING NON-RESPONSIVE OR NON-RESPONSIBLE</u>

MINIMUM SPECIFICATIONS IFB# DWSP 2020-29 ONE (1) 4X4, 1/2 TON PICKUP TRUCK 4 DOOR AND PIPE RACK

Note: All other standard items of equipment listed in the manufacturer's brochure shall be included... CROME ves no REAR BUMPER **EXTINGUISHERS:** 2-1/2 lb. ABC dry chemical type, mounted in cab, and not in a place to interfere with the safe operation of this vehicle or comfort of the driver and passengers. Mounting bracket to be made out of steel. ____ yes ___ no SAFETY: Must meet all Federal, State, and County highway safety requirements. _____ yes ____ no Fleet White. ____ yes ____ no COLOR: **RUSTPROOFING:** Ziebart or equal treatment throughout vehicle. This includes but not limited to insides of doors, hood, engine compartment, fenders, frame and underside chassis ____ yes ___ no One (1) copy of the shop service CD manual. MANUALS: to include trouble-shooting and repair of all sections of the vehicle, including the emission system. Manual must be delivered with the vehicle to fulfill Contract. ____ yes ____ no

Manufacturer's standard warranty to be listed.

WARRANTY:

ACCESSORIES:

Bidder shall complete and submit this questionnaire with their offer. FAILURE TO COMPLY WITH THIS REQUIREMENT WILL BE CAUSE FOR REJECTION OF A BID AS BEING NON-RESPONSIVE OR NON-RESPONSIBLE

MINIMUM SPECIFICATIONS IFB# DWSP 2020-29 ONE (1) 4X4, 1/2 TON PICKUP TRUCK 4 DOOR AND PIPE RACK

D	PE	$D\Lambda$		V •
		\neg	W	n.

Rack shall bolted to the body with 6 ea. Galvanized steel 3/8 bolts. The entire angle iron that rest on the bed must be sealed so that no moisture can get between mating surfaces of the rack and bed. Center and rear cross bars need to be removable. Rack will be no higher than 4 inches from top of truck cab to the bottom of truck cab. Metal shall be 11/2 by 2 inch box tubing 1/8 thick no exceptions. The entire will be made out of galvanized steel and painted black. Drawings of rack provided.

____ yes ____ no to all of the pipe rack

AUTHORIZED REPRESENTATIVE

Respectfully submitted,	
NAME OF FIRM	SIGNATURE OF BIDDER**
ADDRESS OF FIRM	PRINT OR TYPE NAME OF BIDDER
TELEPHONE NUMBER	PRINT OR TYPE TITLE OF BIDDER
DATE SIGNED	FEDERAL ID/SOCIAL SECURITY #
HAWAII STATE GENERAL EXCIS NUMBER	
PLEASE SPECIFY TYPE OF ORGA	NIZATION:
INDIVIDUAL PARTNERSHILLIMITED LIABILITY CORP	P CORPORATION
STATE OF INCORPORATION: I	
authority of this officer to submit a bid	s page your corporate seal; also evidence of the d on behalf of the corporation. Such authority must n. Give also the names and addresses of the
(SEAL)	